

# CURING TANK

Code : B140



- Used to cure cylinders, cubes, beams and other samples that requires total immersion in water at a specified constant temperature.
- Equipped with a digital thermostat and indicator.
- Supplied with a base rack and a water circulation pump.

## STANDARDS

ASTM C31 • BS 1881-11

## TECHNICAL SPECIFICATIONS

- 220 - 240 V / 50 - 60 Hz

### **SUPPLIED WITH**

- Heater Unit with Digital Thermostat and indicator
- Base Rack
- Water Circulation Pump

### **ORDERING INFORMATION**

| Item Name                                                           | Item Code |
|---------------------------------------------------------------------|-----------|
| CURING TANK CIRCULATION PUMP                                        | B140P001U |
| CURING TANK CONTROLLING UNIT with HEATER                            | B140P002U |
| BASE RACK - 90 x 190 cm for CURING TANK                             | B140P003H |
| HEATING ELEMENT for CURING TANK (L-Shaped 600 mm x 400 mm) - 1500 W | B140P004H |
| CURING TANK - Steel (200 x 60 x 63 (h) cm)                          | B140X001U |
| CURING TANK - Plastic (200 x 100 x 80 (h) cm)                       | B140X002U |
| CURING TANK - Plastic (150 x 100 x 80 (h) cm)                       | B140X003U |
| CURING TANK - Stainless Steel (200 x 60 x 63 (h) cm)                | B140X004U |

### **OTHER PHOTOS**

